# SAFETY DATA SHEET

### Section 1: Identification of the chemical and of the supplier

Product identifier	UVGEL 356C INK MAGENTA
Other means of identification	
Article Number	1070092853
Product code	1965C030AA
Recommended use of the chemi	ical and restrictions on use
Recommended use	Inkjet printing ink.
<b>Recommended restrictions</b>	Other uses not recommended.
Details of principal suppliers	
Company name	Not available.
Address	Not available.
Telephone	Not available.
E-mail	Not available.
Emergency phone number	Not available.

#### Section 2: Hazard identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion or irritation	Category 2
	Serious eye damage or eye irritation	Category 2
	Skin sensitization	Category 1
	Reproductive toxicity	Category 1B
Environmental hazards	Hazardous to the aquatic environment - chronic hazard	Category 2

#### Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. May cause allergic skin reaction. Causes serious eye irritation. May damage fertility or the unborn child. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Avoid release to the environment. Wear eye protection/face protection.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Not assigned.
Disposal	Not assigned.
Other hazards which do not result in classification	None known.
Supplemental information	None.

## Section 3: Composition and information of the ingredients of the hazardous chemical

<b>Mixtures</b>
-----------------

Chemical name	Common name and synonyms	CAS number	%
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE		94108-97-1	10 - < 30
Neopentylglycol Hydroxypivalate Diacrylate		30145-51-8	10 - < 30
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE		84170-74-1	10 - < 30
(4-tert-butylcyclohexyl) Prop-2-enoate		84100-23-2	5 - <10

Chemical name	Common name and synonyms	CAS number	%	
Propylidynetrimethanol, Ethoxylated, Esters With Acrylic Acid, Reaction Products With Diethylamine	;	159034-91-0	5 - <10	
Ethyl 4-dimethylaminobenzoate		10287-53-3	1 - < 5	
Neopentyl Glycol Diacrylate		2223-82-7	1 - < 5	
GLYCEROL PROPOXYLATE TRIACRYLATE		52408-84-1	1 - <2.5	
Phenylbis(2,4,6-trimethylbenzoy phosphine-oxide	/l)	162881-26-7	< 1	
Trimethylolpropane Triacrylate, Ethoxylated		28961-43-5	< 0.25	
Section 4: First-aid measu	Ires			
Inhalation	Move to fresh air. Call a physician if sympton	ns develop or persist.		
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.			
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.			
Ingestion	Rinse mouth. Get medical attention if symptoms occur.			
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.			
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect the attendance. Wash contaminated clothing bef	medical personnel are aware mselves. Show this safety data	of the material(s)	
Section 5: Fire-fighting me	easures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carl	oon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as the	nis will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	protective clothing must be wor	n in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.		
HAZCHEM code	None.			
Specific methods	Use standard firefighting procedures and cor	nsider the hazards of other invo	olved materials.	

meula	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
HAZCHEM code	None.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

#### Section 6: Accidental release measures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during Personal precautions, clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless protective equipment and wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be emergency procedures advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. **Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for	Prevent entry into waterways, sewer, basements or confined areas.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Section 7: Handling and s	torage
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
Section 8: Exposure contr	ols and personal protection
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Provide adequate ventilation. See operator manual or safety data sheet of the printer.
Individual protection measures,	such as personal protective equipment
Eye/face protection	If contact is likely, safety glasses with side shields are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Incidental contact: Glove material: Nitrile Use gloves with breakthrough time of 10 minutes. Minimum glove thickness 0,12 mm. Incidental contact: Glove material: Nitril. Use gloves with breakthrough time of 480 minutes. Minimum glove thickness 0,4 mm. Ansell Microflex ® 93-260 (60 minutes)
Other	Not required during normal intended use of this product.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Not required during normal intended use of this product.
Thermal hazards	Not normally needed.
	Observe any medical surveillance requirements. Always observe good personal hygiene

### Section 9: Physical and chemical properties

_	
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Magenta.
Odor	Slightly.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-92.2 °F (-69 °C) / -116.91 °F (-82.73 °C) estimated
Initial boiling point and boiling	436.7 °F (224.83 °C) estimated
range	
Flash point	288.5 °F (142.5 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.

Explosive limit - upper (%)	Not available.		
/apor pressure	8.46 hPa estimated		
/apor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Not available.		
Partition coefficient n-octanol/water)	Not available.		
Auto-ignition temperature	640.4 °F (338 °C)		
Decomposition temperature	Not available.		
/iscosity	296 mPa⋅s (62.6 °F (17 °C))		
Other information			
Density	1.07 g/cm3		
Explosive properties	Not explosive.		
Oxidizing properties	Not oxidizing.		
VOC	0.01 % estimated		
Section 10: Stability and	eactivity		
Reactivity	The product is stable and non-reactive under no	rmal conditions of use, storage and transport.	
chemical stability	Stable at normal conditions.		
Possibility of hazardous eactions	Hazardous polymerization does not occur.		
Conditions to avoid	None under normal conditions.		
ncompatible materials	Not applicable.		
lazardous decomposition products	No hazardous decomposition products are known.		
Section 11: Toxicological	information		
nformation on likely routes of e	xposure		
Inhalation	Under normal conditions of intended use, this m	aterial is not expected to be an inhalation hazard	
Skin contact	Causes skin irritation. May cause an allergic skin	n reaction.	
Eye contact	Causes serious eye irritation.		
Ingestion	Not applicable. However, ingestion is not likely t	o be a primary route of occupational exposure.	
Symptoms related to the ohysical, chemical and oxicological characteristics	Severe eye irritation. Symptoms may include sti vision. Skin irritation. May cause redness and pa Dermatitis. Rash.		
nformation on toxicological effo	ects		
Acute toxicity	Based on available data, the classification criteria are not met.		
Components	Species	Test Results	
4-tert-butylcyclohexyl) Prop-2-end	oate (CAS 84100-23-2)		
<u>Acute</u>			
Oral			
LD50	Rat	> 2000 mg/kg bw/day, 14 days	

<b>Dermal</b> LD50	Rat	> 2000 mg/kg, 24 Hours
<b>Inhalation</b> <i>Vapor</i> LC50	Rat	> 0.41 mg/l, 7 Hours Read across
<b>Oral</b> LD50	Rat	> 5000 mg/kg OECD401

<u>Acute</u>


Components	Species		Test Results	
Ethyl 4-dimethylaminobenzoate (C/	AS 10287-53-3)			
<u>Acute</u> Dermal				
Solid				
LD50	Rabbit		> 2000 mg/kg bw/day	
Oral				
Solid				
LD50	Rat		> 2000 mg/kg bw/day	
GLYCEROL PROPOXYLATE TRIA	CRYLATE (CAS 52408-84-1)			
Acute				
Dermal				
LD50	Rabbit		> 2000 mg/kg, 24 Hours	
Oral				
LD50	Rat		> 2000 mg/kg	
Phenylbis(2,4,6-trimethylbenzoyl) p	hosphine-oxide (CAS 162881-	26-7)		
<u>Acute</u> Dermal				
LD50	Rat		> 2000 ml/kg	
Oral				
LD50	Rat		> 2000 mg/kg	
PROPOXYLATED NEOPENTYL G		4170-74-1)	3 3	
Acute				
Dermal				
LD50	Rat		> 2000 mg/kg, 24 Hours	
Oral				
LD50	Rat		> 5000 mg/kg	
Trimethylolpropane Triacrylate, Eth	oxylated (CAS 28961-43-5)			
Acute				
Dermal				
LD50	Rabbit		> 13200 mg/kg	
Oral			500 //	
LD50	Rat		> 500 mg/kg	
Skin corrosion/irritation	Causes skin irritation.			
Irritation Corrosion - Ski				
PROPOXYLATED NE DIACRYLATE	EOPENTIL GLICOL	OECD 404 Result: Not irritating		
DI(TRIMETHYLOLPF	ROPANE) TETRAACRYLATE	OECD 404		
		Result: Not irritating Species: Rabbit		
Ethyl 4-dimethylaming	obenzoate	OECD 404		
		Result: Not irritating Species: Rabbit		
Phenylbis(2.4.6-trime	thylbenzoyl) phosphine-oxide	OECD 404		
	, , , , , , , , , , , , , , , , , , ,	Result: Not irritating		
		Species: Rabbit		
Serious eye damage/eye irritation	Causes serious eye irritation.			
Eye				
PROPOXYLATED NE	EOPENTYL GLYCOL	OECD 405		
DIACRYLATE Ethyl 4-dimethylaming	benzoate	Result: Not irritating OECD 405		
	JUENZUALE	Result: Not irritating		
	0. II N	Species: Rabbit		
Phenylbis(2,4,6-trime	thylbenzoyl) phosphine-oxide	OECD 405 Result: Not irritating		
		Species: Rabbit		
Irritation Corrosion - Eye	e thylbenzoyl) phosphine-oxide	OECD 405		
r ແຮແນນນອ(∠,4,0-ແທ	anyibenzoyi) phosphille-oxide	Result: Not irritating		
		5		
Material name: UVGEL 356C INK MAC				SDS MAL

Irritation Corrosion - Ey DI(TRIMETHYLOLPI	<b>e</b> ROPANE) TETRAACRYLATE	OECD405 Result: Irritating
Respiratory or skin sensitizatior	I	
<b>Respiratory sensitization</b> Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin rea	action
	May cause an allergic skill lea	
Skin sensitization Ethyl 4-dimethylamin	obenzoate	OECD 406 Result: Not sensitizing Species: Guinea pig
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide		OECD 406 Result: Sensitizing Species: Guinea pig
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE		OECD 406 Result: Sensitizing Species: Guinea pig
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE		OECD 429 Result: positive Species: Mouse
PROPOXYLATED N DIACRYLATE	EOPENTYL GLYCOL	OECD 429 Result: Sensitizing Severity: EC3=4,6%
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Germ cell mutagenicity: Ethyl 4-dimethylamin		OECD 471
		Result: Negative.
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide		OECD 471 Result: Negative.
	EOPENTYL GLYCOL	OECD 471
DIACRYLATE DI(TRIMETHYLOLPROPANE) TETRAACRYLATE		Result: Negative. OECD 471
(4-tert-butylcyclohexy	yl) Prop-2-enoate	Result: positive OECD471, (similar product) Result: Negative
Germ cell mutagenicity:	Chromosome abberation	
Ethyl 4-dimethylamin		OECD 471, without metabolic activation.
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide		Result: Negative. OECD 473 Result: Negative.
Ethyl 4-dimethylaminobenzoate		OECD 473, with metabolic activation Result: positive
(4-tert-butylcyclohexyl) Prop-2-enoate		OECD473, (similar product) Result: Negative
Germ cell mutagenicity:		-
DI(TRIMETHYLOLPI	ROPANE) TETRAACRYLATE	OECD 474 Result: Negative.
Ethyl 4-dimethylaminobenzoate		OECD 474 Result: Negative.
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE		Species: Mouse OECD 474, (similar product) Result: Negative.
Mutagenicity PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE		OECD 467 Result: Negative.
	ethylbenzoyl) phosphine-oxide	OECD 476 Result: Negative.
Carcinogenicity	No data available to indicate p carcinogenic.	product or any components present at greater than 0.1% are
IARC Monographs. Overall I Not listed.	Evaluation of Carcinogenicity	
Reproductive toxicity	May damage fertility or the un	born child.
Developmental effects Phenylbis(2,4,6-trime	ethylbenzoyl) phosphine-oxide	OECD 414 Result: Negative. Species: Rat

Fortility offocts - Malos				
Fertility effects - Males Ethyl 4-dimethylaminobenzoate			OECD 421 Result: Adverse effects for fertility Species: Rat Organ: Testes	
Fertility effects - Males				
DIACRYLATE	PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE		OECD 421 Result: Negative.	
Reproductivity		VOOL		
PROPOXYLATED N DIACRYLATE	NEOPENTYL GL	TCOL	OECD 421 Result: Negative.	
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE		RAACRYLATE	OECD 422, (similar product) Result: Negative. Species: Rat	
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide		nosphine-oxide	OECD414 Result: Negative.	
Specific target organ toxicity - single exposure	Not applicable	е.		
Specific target organ toxicity - repeated exposure	Not classified			
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide		-	OECD 407 Result: Negative. Species: Rat Result: Negative. Species: Rat	
			Test Duration: 90 d	
Aspiration hazard	Not an aspira	tion hazard.		
Section 12: Ecological in	formation			
Ecotoxicity	Toxic to aqua	tic life with long l	asting effects.	
Components		Species	Test Results	
DI(TRIMETHYLOLPROPANI	E) TETRAACRY	LATE (CAS 9410	08-97-1)	
Aquatic				
<i>Acute</i> Fish	LC50	Fish	1.2 mg/l, 96 h	
Ethyl 4-dimethylaminobenzoa	ate (CAS 10287-	53-3)		
Aquatic				
<i>Acute</i> Algae	EC50	Algae	2.8 mg/l, 72 h	
Crustacea	LC50	Daphnia	31.8 mg/l, 48 h	
		-		
Fish	LC50	Fish	1.9 mg/l, 96 h	
Phenylbis(2,4,6-trimethylben:	zoyi) pnospnine-	oxide (CAS 1628	381-26-7)	
Aquatic Acute				
Algae	EC50	Algae	0.26 mg/l, 72 h Supersaturated	
			suspension	
Crustacea	LC50	Daphnia		
Crustacea Fish	LC50 LC50	Daphnia Fish	suspension 1.1 mg/l, 48 h Supersaturated	
		·	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 μg/l, 96 h Supersaturated	
Fish		·	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 μg/l, 96 h Supersaturated	
Fish <i>Chronic</i>	LC50 NOEC	Fish Crustacea	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 μg/l, 96 h Supersaturated suspension 8.1 μg/l, 21 d	
Fish <i>Chronic</i> Crustacea	LC50 NOEC	Fish Crustacea	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 μg/l, 96 h Supersaturated suspension 8.1 μg/l, 21 d	
Fish <i>Chronic</i> Crustacea PROPOXYLATED NEOPEN <b>Aquatic</b> <i>Acute</i>	LC50 NOEC TYL GLYCOL D	Fish Crustacea IACRYLATE (CA	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 μg/l, 96 h Supersaturated suspension 8.1 μg/l, 21 d	
Fish <i>Chronic</i> Crustacea PROPOXYLATED NEOPEN <sup>T</sup> <b>Aquatic</b>	LC50 NOEC	Fish Crustacea	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 μg/l, 96 h Supersaturated suspension 8.1 μg/l, 21 d	
Fish <i>Chronic</i> Crustacea PROPOXYLATED NEOPEN <b>Aquatic</b> <i>Acute</i>	LC50 NOEC TYL GLYCOL D	Fish Crustacea IACRYLATE (CA	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 μg/l, 96 h Supersaturated suspension 8.1 μg/l, 21 d	
Fish <i>Chronic</i> Crustacea PROPOXYLATED NEOPEN <b>Aquatic</b> Acute Algae	LC50 NOEC TYL GLYCOL D EC50	Fish Crustacea IACRYLATE (CA Algae	suspension 1.1 mg/l, 48 h Supersaturated suspension > 90 µg/l, 96 h Supersaturated suspension 8.1 µg/l, 21 d 3.4 mg/l, 72 h	

Biodegradability				
Percent degradation (Ae	robic biodegradation)			
Ethyl 4-dimethylaminoben		OECD 301B, Not readily biodegradable		
		Result: 40		
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE		Result: Innerently biodegradable		
Bioaccumulative potential				
Partition coefficient n-octand		5.0		
Phenylbis(2,4,6-trimethylbenzo		5.8 2.41 - 3.87, Log Kow		
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE Bioconcentration factor (BCF)		2.11 0.01, Log 1.00		
DI(TRIMETHYLOLPROPANE)	TETRAACRYLATE	388 % v/w		
Phenylbis(2,4,6-trimethylbenzo	oyl) phosphine-oxide	< 5		
Mobility in soil	No data available.			
Adsorption				
Soil/sediment sorption -	-			
Ethyl 4-dimethylaminoben Phenylbis(2,4,6-trimethylb		Result: 2,8 3.85		
Other adverse effects	• • • •			
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.		
Section 13: Disposal infor	mation			
Disposal instructions	this material to drain into sewe	in sealed containers at licensed waste disposal site. Do not allow rs/water supplies. Do not contaminate ponds, waterways or ditches r. Dispose of contents/container in accordance with onal regulations.		
Local disposal regulations	Dispose in accordance with all	applicable regulations.		
Waste from residues / unused		local regulations. Empty containers or liners may retain some		
products	product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging		retain product residue, follow label warnings even after container is ould be taken to an approved waste handling site for recycling or		
Section 14: Transportation	n information			
ADR				
UN number	UN3082			
UN proper shipping name		DOUS SUBSTANCE, LIQUID, N.O.S. ) TETRAACRYLATE, PROPOXYLATED NEOPENTYL GLYCOL		
Transport hazard class(es)				
Class	9			
Subsidiary risk	-			
Label(s) Hazard No. (ADR)	9 90			
Tunnel restriction code				
Packing group	III			
Environmental hazards	Yes			
	Read safety instructions, SDS	and emergency procedures before handling.		
RID UN number	UN3082			
UN proper shipping name	ENVIRONMENTALLY HAZAR	DOUS SUBSTANCE, LIQUID, N.O.S. ) TETRAACRYLATE, PROPOXYLATED NEOPENTYL GLYCOL		
Transport hazard class(es)	,			
Class	9			
Subsidiary risk	-			
Label(s)	9			
Packing group Environmental hazards	III Yes			
		and emergency procedures before handling.		
IATA				
UN number	UN3082			
UN proper shipping name		ostance, liquid, n.o.s. (DI(TRIMETHYLOLPROPANE)		
	TETRAACRYLATE, PROPOX	YLATED NEOPENTYL GLYCOL DIACRYLATE)		
Transport hazard class(es) Class	9			
Material name: UVGEL 356C INK MAG	JENIA	SDS MALAYSIA		

Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DI(TRIMETHYLOLPROPANE) TETRAACRYLATE, PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
ADR; IATA; IMDG; RID	



Marine pollutant



HAZCHEM code General information None. IMDG Regulated Marine Pollutant.

### Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004) Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5, 2007)

Not regulated.

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated.

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999] Not regulated.

International regulations	S			
Stockholm Convent	tion			
Not applicable. Rotterdam Convention Not applicable. Montreal Protocol Not applicable. Kyoto protocol	ion			
Not applicable. Basel Convention				
Not applicable.				
Section 16: Other in	nformation			
Issue date	11-01-2019			
Revision date	06-10-2020			

Revision date	00 10 2020
Version #	2.0
List of abbreviations	Not available.
References	Not available.
Disclaimer	The information in this Safety Data Sheet is based on the present state of knowledge and current legislation and is believed to be accurate. It provides guidance on health, safety and environmental aspects of the product and should neither be construed as any guarantee of specific properties nor of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1. This document was prepared to the requirements of the jurisdiction in Section 1 and may not meet regulatory requirements in other countries or territories. The information contained in this safety data sheet does not replace the user's own assessment of workplace risks, as required by applicable health and safety legislation.
Revision information	Product and Company Identification: Material Articles Section 2: Hazard identification: Disposal Section 2: Hazard identification: Response Section 2: Hazard identification: Storage Section 2: Hazard identification: Supplemental information Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Material Attributes & Uses; Experimental Data: Product Uses HazReg Data: Pacific Rim