

SAFETY DATA SHEET

Section 1: Identification of the chemical and of the supplier

Product identifier	UVGEL 356C INK BLACK
Other means of identification	
Article Number	1070092847
Product code	1965C032AA
Recommended use of the chemical and restrictions on use	
Recommended use	Inkjet printing ink.
Recommended restrictions	Other uses not recommended.
Details of principal suppliers	
Company name	Not available.
Address	Not available.
Telephone	Not available.
E-mail	Not available.
Emergency phone number	Not available.

Section 2: Hazard identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion or irritation	Category 2
	Serious eye damage or eye irritation	Category 2
	Skin sensitization	Category 1
	Reproductive toxicity	Category 1B
Environmental hazards	Hazardous to the aquatic environment - chronic hazard	Category 2

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. May cause allergic skin reaction. Causes serious eye irritation. May damage fertility or the unborn child. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Avoid release to the environment. Wear protective gloves/eye protection/face protection.
Response	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Not assigned.
Disposal	Not assigned.
Other hazards which do not result in classification	None known.
Supplemental information	33.11386% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

Section 3: Composition and information of the ingredients of the hazardous chemical

Mixtures

Hazardous components			
Chemical name	Common name and synonyms	CAS number	%
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE		94108-97-1	25 - < 50
Neopentylglycol Hydroxypivalate Diacrylate		30145-51-8	10 - < 30
(4-tert-butylcyclohexyl) Prop-2-enoate		84100-23-2	5 - <10

Hazardous components			
Chemical name	Common name and synonyms	CAS number	%
Propylidynetrimethanol, Ethoxylated, Esters With Acrylic Acid, Reaction Products With Diethylamine		159034-91-0	5 - <10
Ethyl 4-dimethylaminobenzoate		10287-53-3	1 - < 5
Neopentyl Glycol Diacrylate		2223-82-7	1 - < 5
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE		84170-74-1	1 - < 5
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide		162881-26-7	< 1
Trimethylolpropane Triacrylate, Ethoxylated		28961-43-5	< 0.25
Non-hazardous components			
Chemical name	Common name and synonyms	CAS number	%
Carbon Black		1333-86-4	1 - <3

Section 4: First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

Section 5: Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
HAZCHEM code	None.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Section 7: Handling and storage**Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Use appropriate container to avoid environmental contamination. Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place.

Section 8: Exposure controls and personal protection**Occupational exposure limits**

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation. See operator manual or safety data sheet of the printer.

Individual protection measures, such as personal protective equipment**Eye/face protection**

If contact is likely, safety glasses with side shields are recommended.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves. Glove material: Nitrile. Use gloves with breakthrough time of 10 minutes. Minimum glove thickness 0,12 mm. Glove material: Nitrile. Use gloves with breakthrough time of 480 minutes. Minimum glove thickness 0,4 mm.

Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur. Wash off any skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin problems that may develop. Ansell Microflex ® 93-260 (60 minutes)

Other

Not required during normal intended use of this product.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Not required during normal intended use of this product.

Thermal hazards

Not normally needed.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Section 9: Physical and chemical properties**Appearance**

Liquid.

Physical state

Liquid.

Form

Liquid.

Color

Black.

Odor

Slightly.

Odor threshold

Not available.

pH

Not available.

Melting point/freezing point

-90.4 °F (-68 °C) / -118.12 °F (-83.4 °C) estimated

Initial boiling point and boiling range

435.63 °F (224.24 °C) estimated

Flash point

293.0 °F (145.0 °C)

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits**Flammability limit - lower (%)**

Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	8.48 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	681.8 °F (361 °C)
Decomposition temperature	Not available.
Viscosity	307 mPa·s (62.6 °F (17 °C))
Other information	
Density	1.07 g/cm ³ (77 °F (25 °C))
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC	0.01 % estimated

Section 10: Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None under normal conditions.
Incompatible materials	Not applicable.
Hazardous decomposition products	No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation	Not available.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Not applicable. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
(4-tert-butylcyclohexyl) Prop-2-enoate (CAS 84100-23-2)		
Acute		
Oral		
LD50	Rat	> 2000 mg/kg bw/day, 14 days
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE (CAS 94108-97-1)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 0.41 mg/l, 7 Hours Read across
Oral		
LD50	Rat	> 5000 mg/kg OECD401

Components	Species	Test Results
Ethyl 4-dimethylaminobenzoate (CAS 10287-53-3)		
Acute		
Dermal		
<i>Solid</i>		
LD50	Rabbit	> 2000 mg/kg bw/day
Oral		
<i>Solid</i>		
LD50	Rat	> 2000 mg/kg bw/day
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide (CAS 162881-26-7)		
Acute		
Dermal		
LD50	Rat	> 2000 ml/kg
Oral		
LD50	Rat	> 2000 mg/kg
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE (CAS 84170-74-1)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 5000 mg/kg
Trimethylolpropane Triacrylate, Ethoxylated (CAS 28961-43-5)		
Acute		
Dermal		
LD50	Rabbit	> 13200 mg/kg
Oral		
LD50	Rat	> 500 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Skin		
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 404	Result: Not irritating
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE	OECD 404	Result: Not irritating Species: Rabbit
Ethyl 4-dimethylaminobenzoate	OECD 404	Result: Not irritating Species: Rabbit
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 404	Result: Not irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritation.	
Eye		
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 405	Result: Not irritating
Ethyl 4-dimethylaminobenzoate	OECD 405	Result: Not irritating Species: Rabbit
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 405	Result: Not irritating Species: Rabbit
Irritation Corrosion - Eye		
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 405	Result: Not irritating
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE	OECD405	Result: Irritating
Respiratory or skin sensitization	May cause sensitization by skin contact.	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	

Skin sensitization

Ethyl 4-dimethylaminobenzoate	OECD 406 Result: Not sensitizing Species: Guinea pig
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 406 Result: Sensitizing Species: Guinea pig
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 406 Result: Sensitizing Species: Guinea pig
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE	OECD 429 Result: positive Species: Mouse
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 429 Result: Sensitizing Severity: EC3=4,6%

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Germ cell mutagenicity: Ames test

Ethyl 4-dimethylaminobenzoate	OECD 471 Result: Negative.
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 471 Result: Negative.
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 471 Result: Negative.
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE	OECD 471 Result: positive
(4-tert-butylcyclohexyl) Prop-2-enoate	OECD471, (similar product) Result: Negative

Germ cell mutagenicity: Chromosome aberration

Ethyl 4-dimethylaminobenzoate	OECD 471, without metabolic activation. Result: Negative.
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 473 Result: Negative.
Ethyl 4-dimethylaminobenzoate	OECD 473, with metabolic activation Result: positive
(4-tert-butylcyclohexyl) Prop-2-enoate	OECD473, (similar product) Result: Negative

Germ cell mutagenicity: Micronucleus

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE	OECD 474 Result: Negative.
Ethyl 4-dimethylaminobenzoate	OECD 474 Result: Negative. Species: Mouse
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 474, (similar product) Result: Negative.

Mutagenicity

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 467 Result: Negative.
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 476 Result: Negative.

Carcinogenicity No data available to indicate product or any components present at greater than 0.1% are carcinogenic.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

Reproductive toxicity May damage fertility or the unborn child.

Developmental effects

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	OECD 414 Result: Negative. Species: Rat
---	---

Fertility effects - Males

Ethyl 4-dimethylaminobenzoate	OECD 421 Result: Adverse effects for fertility Species: Rat Organ: Testes
-------------------------------	--

Fertility effects - Males and females

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE	OECD 421 Result: Negative.
---	-------------------------------

Reproductivity

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE
 DI(TRIMETHYLOLPROPANE) TETRAACRYLATE
 OECD 421
 Result: Negative.
 OECD 422, (similar product)
 Result: Negative.
 Species: Rat

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide
 OECD414
 Result: Negative.

Specific target organ toxicity - single exposure Not applicable.

Specific target organ toxicity - repeated exposure Not classified.

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE
 OECD 407
 Result: Negative.
 Species: Rat

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide
 Result: Negative.
 Species: Rat
 Test Duration: 90 d

Aspiration hazard Not an aspiration hazard.

Section 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components	Species	Test Results	
DI(TRIMETHYLOLPROPANE) TETRAACRYLATE (CAS 94108-97-1)			
Aquatic			
<i>Acute</i>			
Fish	LC50	Fish	1.2 mg/l, 96 h
Ethyl 4-dimethylaminobenzoate (CAS 10287-53-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	2.8 mg/l, 72 h
Crustacea	LC50	Daphnia	31.8 mg/l, 48 h
Fish	LC50	Fish	1.9 mg/l, 96 h
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide (CAS 162881-26-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	0.26 mg/l, 72 h Supersaturated suspension
Crustacea	LC50	Daphnia	1.1 mg/l, 48 h Supersaturated suspension
Fish	LC50	Fish	> 90 µg/l, 96 h Supersaturated suspension
<i>Chronic</i>			
Crustacea	NOEC	Crustacea	8.1 µg/l, 21 d
PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE (CAS 84170-74-1)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	3.4 mg/l, 72 h
Crustacea	LC50	Daphnia	37 mg/l, 48 h
Fish	LC50	Fish	2.7 mg/l, 96 h

Persistence and degradability**Biodegradability****Percent degradation (Aerobic biodegradation)**

Ethyl 4-dimethylaminobenzoate
 OECD 301B, Not readily biodegradable
 Result: 40

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE
 Result: Inherently biodegradable

Bioaccumulative potential**Partition coefficient n-octanol / water (log Kow)**

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide
 5.8

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE
 2.41 - 3.87, Log Kow

Bioconcentration factor (BCF)

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE	388 % v/w
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	< 5

Mobility in soil No data available.

Adsorption**Soil/sediment sorption - log Koc**

Ethyl 4-dimethylaminobenzoate	Result: 2,8
Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide	3.85

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13: Disposal information

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: Transportation information**ADR**

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DI(TRIMETHYLOLPROPANE) TETRAACRYLATE, (4-tert-butylcyclohexyl) Prop-2-enoate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Hazard No. (ADR)	90
Tunnel restriction code	E
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DI(TRIMETHYLOLPROPANE) TETRAACRYLATE, (4-tert-butylcyclohexyl) Prop-2-enoate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (DI(TRIMETHYLOLPROPANE) TETRAACRYLATE, (4-tert-butylcyclohexyl) Prop-2-enoate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

UN number UN3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(DI(TRIMETHYLOLPROPANE) TETRAACRYLATE, (4-tert-butylcyclohexyl) Prop-2-enoate),
MARINE POLLUTANT

Transport hazard class(es)

Class 9

Subsidiary risk -

Packing group III



Environmental hazards

Marine pollutant Yes

EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

ADR; IATA; IMDG; RID**Marine pollutant**

HAZCHEM code None.

General information IMDG Regulated Marine Pollutant.

Section 15: Regulatory information**Safety, health and environmental regulations specific for the product in question**

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004)

Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5, 2007)

Not regulated.

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated.

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999]

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Section 16: Other information

Issue date	10-11-2019
Revision date	06-10-2020
Version #	2.0
List of abbreviations	Not available.
References	Not available.
Disclaimer	<p>The information in this Safety Data Sheet is based on the present state of knowledge and current legislation and is believed to be accurate. It provides guidance on health, safety and environmental aspects of the product and should neither be construed as any guarantee of specific properties nor of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1. This document was prepared to the requirements of the jurisdiction in Section 1 and may not meet regulatory requirements in other countries or territories. The information contained in this safety data sheet does not replace the user's own assessment of workplace risks, as required by applicable health and safety legislation.</p>
Revision information	<p>Product and Company Identification: Material Articles Section 2: Hazard identification: Disposal Section 2: Hazard identification: Storage Composition / Information on Ingredients: Ingredients Section 7: Handling and storage: Precautions for safe handling Physical & Chemical Properties: Multiple Properties Material Attributes & Uses; Experimental Data: Product Uses HazReg Data: Pacific Rim</p>